

Testfabrics

Your Source for Quality Test Materials

Technical Catalog
Section I
Product List Version 1.5.5

Testfabrics, Inc.

P.O Box 3026

415 Delaware Ave

West Pittston, PA 18643 USA

Phone: +1 (570) 603 0432

Fax: +1 (570) 603 0433

Email: info@testfabrics.com

Web: www.testfabrics.com

Testfabrics Technical Catalog Section I Product List Verison 1.5.5

Table of Contents	Page
AATCC (AMERICAN) & ISO (EUROPEAN) CROCMETER CLOTH/COTTON LAWN, SQUARES & PARTS AATCC Crockmeter Test Cloth, Squares, Verification Cloth, Green Felt & Black Crock ISO Crockmeter Test Rubbing Cloth & Squares (Cotton Lawn) Replacement Parts for Crockmeter Machine Testfabrics "Custom size Crock Pieces"	1
AATCC (AMERICAN) & ISO (EUROPEAN) DUMMY WASH LOAD BALLAST (MAKEWEIGHTS) AATCC "Dummy" Wash Load or Ballast ISO "Makeweights" Loading Fabrics or Ballast Testfabrics "Custom Ballast"	2
ASTM STANDARD REFERENCE TEST MATERIALS Consumable for Martindale Abrasion Tester Dyed Fabrics for Evaluating Color Transfer Miscellaneous ASTM Test Materials Pilling Test Consumables Standard Break Fabrics	2
ISO SINGLE ADJACENT FABRICS 105/F SERIES ISO Single Fiber Standard Adjacent Acrylic 105-F05 ISO Single Fiber Standard Adjacent Cotton 105-F02 ISO Single Fiber Standard Adjacent Polyamide 105-F03 ISO Single Fiber Standard Adjacent Polyester 105-F04 ISO Single Fiber Standard Adjacent Silk 105-F06 ISO Single Fiber Standard Adjacent Viscose 105-F02 ISO Single Fiber Standard Adjacent Wool 105-F01	3
ISO STANDARD REFERENCE TEST MATERIALS EN388 Standard Reference Materials ISO 105-E04 Reagents ISO Blue Wools ISO Gray Scales ISO Reference Materials ISO Reference Threads ISO/SDC Reference Materials	4
PHENOLIC YELLOWING TEST MATERIALS	5
FLAMMABILITY STANDARD REFERENCE TEST MATERIALS BSI Flammability Std Reference Test Materials CPSC/CFR & CAN Flammability Std Reference Test Materials Miscellaneous Flammability Std Test Materials UFAC & CA TB117 Flammability Std Reference Test Materials	5
AUTOMOTIVE STANDARD REFERENCE TEST MATERIALS Cotton Cheese Cloth Ford, GM, Chrysler, Toyota, Honda, Nissan, Renault and other Standard Reference Materials Greige Cotton Duck JIS (Japanese Industrial Standard) Fabrics PVC SAE Polystyrene Chip	6

AATCC, ISO, IEC, AHAM AND OTHER CONSUMER DETERGENTS & IDENTIFICATION STAINS AATCC Standard Liquid & Powder Detergents Clorox 2 Powder & Liquid Test ISO, IEC, AHAM & SASO Standard Detergents Test Method Specific Detergents & Cleaning Products Textile Fiber Identification Stains Tide Liquid Detergent Tide Powder Detergent US, UK & International Consumer Laundry Detergents & Cleaning Products	8
AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS <u>AATCC MFF 1</u> (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Silk, Viscose & Wool	10
AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS <u>AATCC MFF 10</u> (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic & Wool	11
AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS <u>AATCC MFF 10A (ISO DW)</u> (6 fibers 15mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic & Wool	12
AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS <u>ISO MFF 41 (TV)</u> (6 fibers 1.5 cm stripe) of Tricetate, Cotton, Polyamide, Polyester, Acrylic & Viscose <u>ISO MFF 42 (DW)</u> (6 fibers 1.5 cm stripe) of Acetate, Cotton, Polyamide, Polyester, Acrylic & Wool	13
AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS <u>MFF 43</u> (13 fibers 8 mm stripe) of Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. <u>JCPenney MFF 49</u> (8 fibers 1.25cm stripe) of Eight fiber (1.25 cm stripe) containing Acetate, Cotton, Polyamide, Polyester, Acrylic, Silk, Viscose and Wool.	13
FABRICS Acetate Fabrics Acrylic Fabrics Cotton Fabrics Dyed Polyester Fabrics Filament Polyester Fabrics Glass Fabrics Hemp Fabrics Linen Fabrics Nomex Fabrics Nylon Fabrics Polyester Fabrics Polypropylene Fabrics Silk Fabrics Spun Polyester Fabrics Union, Checked, Blended and Other Fabrics Viscose (Regenerated Cellulose) Fabrics Spun Polyester Fabrics Worsted and Wool Fabrics	14
DYE SKEINS Acrylic Yarn PFD Dye Skeins Carpet Yarn PFD Dye Skeins Cotton Yarn PFD Dye Skeins Nylon Yarn PFD Dye Skeins Polyester Yarn PFD Dye Skeins Silk Yarn PFD Dye Skeins Viscose (Regenerated Cellulose) Yarn PFD Dye Skeins Wool Yarn PFD Dye Skeins	21

AATCC (AMERICAN) & ISO (EUROPEAN) CROCKMETER CLOTH/COTTON LAWN, SQUARES & PARTS		
Item Number	Item Name	Item Description
<u>AATCC Crockmeter Test Cloth, Squares, Verification Cloth, Green Felt & Black Crock</u>		
0101001	AATCC CROCK SQUARES BOX	AATCC Crockmeter Test Cloth Cut in 50 mm squares (2" X 2" Straight Edges) pieces from AATCC Standard Crockmeter White Cloth. Specially designed 5 small easy to use boxes of 200 pieces in each 1000 piece box. Certificate of Conformity and Detailed Test Report inside each box, Box of 1000 Pieces
0101002	AATCC CROCK CLOTH 1M PACK	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Pack of 1 Meter
0101003	AATCC CROCK CLOTH 5M PACK	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Pack of 5 Meters
0101004	AATCC CROCK CLOTH 25M ROLL	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Roll of 25 Meters
0101005	AATCC CROCK CLOTH 50M ROLL	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Roll of 50 Meters
0101006	AATCC CROCK GREEN FELT	Green Felt for AATCC Crockmeter 2" X 2" (Straight Edges), Pack of 100 Pieces
0101007	AATCC CVC 25	Crockmeter Verification Cloth, 2" X 6" (Pinked Edges) With Data Sheet and Instructions, Pack of 25 Pieces
0101008	CROCK 2 BLACK	Crockmeter Cloth Dyed Direct Black Pre cut 2" X 2" (Straight Edges), Pack of 100 Pieces
<u>ISO Crockmeter Test Rubbing Cloth & Squares (Cotton Lawn)</u>		
0102001	ISO CROCK 2 BOX	ISO Cotton Lawn Rubbing Fabric, 5 cm X 5 cm (Pinked or Gimped Edges), Box of 500 Pieces
0102002	ISO CROCK CLOTH (COTTON LAWN) 1M PACK	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Pack of 1 Meter
0102003	ISO CROCK CLOTH 5M	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Pack of 5 Meters
0102004	ISO CROCK CLOTH (COTTON LAWN) 25M ROLL	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Roll of 25 Meters
0102005	ISO CROCK CLOTH (COTTON LAWN) 50M ROLL	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Roll of 50 Meters
<u>Replacement Parts for Crockmeter Machine</u>		
0103001	AATCC CVK	AATCC Crockmeter Verification Kit A. AATCC CVC 25 B. Finger (Tip), Round Clip, Emery Paper, Kit
0103002	CROCK BLOCK	Crock Block with rectangular rubbing surface 19.0 x 25.4 mm for AATCC Test Method 165, Piece
0103003	CROCK CLIP	AATCC Standard Crockmeter Machine Stainless steel Clip, Piece
0103004	CROCK EMERY PAPER 320A	Grit 320A for Crockmeter Machine, 9"x11"/229x279 mm Sheets, Sheet
0103005	CROCK FINGER TIP	AATCC Standard Crockmeter Machine Finger Tip, Piece
<u>Testfabrics "Custom size Crock Pieces"</u>		
0104001	AATCC CROCK 4 BOX	AATCC Crock 4 Pieces 1" X 4" (Straight Edges), Box of 1000 Pieces
0104002	AATCC CROCK 6 BOX	AATCC Crock 6 Pieces 2" X 6" (Straight Edges), Box of 1000 Pieces
0104003	AATCC CROCK ROUNDS BOX	AATCC Crock Rounds (2.25" Diameter), Box of 1000 Pieces

AATCC (AMERICAN) & ISO (EUROPEAN) DUMMY WASH LOAD BALLAST (MAKEWEIGHTS)		
Item Number	Item Name	Item Description
<u>AATCC "Dummy" Wash Load or Ballast</u>		
0201001	AATCC 80 20 WC 50X50	AATCC Wool/Cotton Ballast 50X50 cm, 1 Kg Load (Pack of 19 pieces, 6 pieces of Cotton and 13 Pieces of Wool), Pack of 1 Kg
0201002	AATCC DUMMY I	AATCC Wash Load Ballast Type-1 100% Cotton Sheeting, 36 X 36 inches, Bag of 16 Pieces
0201003	AATCC DUMMY III	AATCC Wash Load Ballast Type-3 50/50 Polyester/Cotton, 36 X 36 inches, Bag of 16 Pieces
<u>ISO "Makeweights" Loading Fabrics or Ballast</u>		
0202001	ISO 80 20 WC 30X30 2L	ISO Wool/Cotton Ballast 30x30 cm, Each piece is 2 layers of fabric sewn together at the edges (300 +/-30) mm x (300 +/-30) mm, 1 Kg Load (Pack of 26 pieces, 8 pieces of Cotton and 18 Pieces of Wool), Pack of 1 Kg
0202002	ISO B 3175-4	Polyester-Cotton (50-50) Ballast Two Layers, 800 +/- 20 mm (31.5 +/- 0.75 inches) According to ISO 3175-4 section 6.4 Ballast Specifications, Pack of 8 Pieces
0202003	ISO B I	BS EN ISO 6330:2012 Ballast Type I 100% Cotton, Pack of 4 Pieces is approx 1.2 Kg , Pack of 4 Pieces
0202004	ISO B II	BS EN ISO 6330:2012 Ballast Type II 50%Polyester / 50 % Cotton, Pack of 8 Pieces is approx 2 Kg , Pack of 8 Pieces
0202005	ISO B III	BS EN ISO 6330:2012 Ballast Type III 100% Polyester According to Annex H 20 Pieces/Approx 1 Kg/Pack, Pack of 20 Pieces
<u>Testfabrics "Custom Ballast"</u>		
0203001	CUSTOM BALLAST	Ballast according to customer's specifications, Pack
0203002	LS 35 COTTON BALLAST	Ballast, 24 x 24" (610 x 610 mm), white cotton weighing approximately 4.5 +/- 0.5 oz/sq. yd (160 +/- 6 g/sq m), Pack of 20 Pieces
ASTM STANDARD REFERENCE TEST MATERIALS		
Item Number	Item Name	Item Description
<u>Consumable for Martindale Abrasion Tester</u>		
0601001	533	Wool Level Loop Carpet 27" X 72" bound edges, Roll
0601002	SM 25	Wool Abradent Woven Fabric, Approx Width: 59 inches (150 cm), Linear Meter
0601003	SM 25 140MM	SM 25 Wool Abradent Woven Fabric Pre cut 140 mm Circles, Pack of 25 Pieces
0601004	SM 25 150MM	SM 25 Wool Abradent Woven Fabric Pre cut 150 mm Circles, Pack of 25 Pieces
0601005	SM 26	Felt Piece (woven), Approx Width: 59 inches (150 cm), Linear Meter
0601006	SM 26 125 MM	SM 26 Felt Pre cut 125 mm Circles, Pack of 25 Pieces
0601007	SM 26 140MM	SM 26 Felt Pre cut 140 mm Circles, Pack of 25 Pieces
0601008	SM 28	Polyurethane Foam Piece, 1.5 meter X 0.5 meter, Pack of 1 Pieces
<u>Dyed Fabrics for Evaluating Color Transfer</u>		
0602001	361 RED 151 PCS	Acid Red 151 on Spun Nylon style # 361 (4.5" X 6" pcs), Pack of 100 Pieces
0602002	400 BLUE 71 PCS	Direct Blue 71 on Cotton Print Cloth style # 400 (4.5" X 6" pcs), Pack of 100 Pieces
0602003	400 BLUE 90 PCS	Direct Blue 90 on Cotton Print Cloth style # 400 (4.5" X 6" pcs), Pack of 100 Pieces
0602004	400 DIR BLK PCS	Dyed Dir Black for Crocking (2" X 2" pcs) for Crocking ASTM 5053, Pack of 100 Pieces
0602005	400 PCS	Undyed Cotton Print Cloth for pick-up of loose dye in test (4.5" X 6" pcs), Pack of 100 Pieces

Miscellaneous ASTM Test Materials		
0603001	ASTM ACA	Airplane Cloth Grade A Desized Approx Weight: 142 grams/meter ² (4.2 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
0603002	ASTM D1230 THREAD	#50 Mercerized Cotton Thread 6000 Yards/Cone
0603003	ASTM D2255 REPLICA	Each photograph is 6 inches x 10 inches in size and the four photographs representing Grades A to D of each series are mounted on a 27.5 inches x 15 inches extra heavy board, Set
0603004	ASTM D3512 REPLICA	5 photographs on an 11 by 14 inches sheet, They vary from No. 1 - Very Severe Pilling to No. 5 - No Pilling, Sheet
0603005	ASTM D434 NEEDLE	0.030 in. (0.76 mm) in diameter Needle, Each
0603006	ASTM D434 THREAD	approximately 36 tex polyester cotton core thread" (6000 yards/cone), Cone
0603007	ASTM NOMEX F1868	Nomex Defender 750 Yellow, Approx Width: 62 inches (157 cm), Linear Meter
0603008	TF FELT SLEEVES	Felt Sleeves for Standard Test Method for Snagging Resistance of Fabrics (Mace) for ASTM D3939, Pack of 4 Pieces
Pilling Test Consumables		
0604001	CORK LINERS	Standard CORK LINERS for Pilling Tester Made in USA, Pack of 50 Pieces
0604002	ELM GLUE	WHITE GLUE Adhesive, white all-purpose, for sealing edges of specimens 225 ml Bottle, Bottle
0604003	GRAY SLIVER 1 YARD	ASTM Gray Cotton Sliver 1 Yard Pack With COC, Pack of 1 Yard
0604004	GRAY SLIVER 10 YARD	ASTM Gray Cotton Sliver 10 Yard Pack With COC, Pack of 10 Yards
Standard Break Fabrics		
0605001	9407R LOT 1100	50/50 Polyester/Cotton Plain Weave Standard Break Fabric With Certificate of Conformity and Data Sheet Approx Width: 60 inches (152 cm), Pack of 1 Meter
0605002	9408 R	Discontinued, For more details, please contact us.
ISO SINGLE ADJACENT FABRICS 105/F SERIES		
Item Number	Item Name	Item Description
ISO Single Fiber Standard Adjacent Acrylic 105-F05		
1601001	ISO ADJ ACRYLIC	ISO 105-F05 Acrylic Adjacent Fabric Approx Weight: 135 grams/meter ² (3.98 ounces/yard ²) Approx Width: 44 inches (114 cm), Linear Meter
1601002	ISO ADJ ACRYLIC 5M	ISO 105-F05 Acrylic Adjacent Fabric, Pack of 5 Meters
1601003	ISO ADJ ACRYLIC 4X10 PCS	ISO 105-F05 Acrylic Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
1402001	871 TF STANDARD ADJACENT ACRYLIC	Spun Acrylic Woven Fabric
ISO Single Fiber Standard Adjacent Cotton 105-F02		
1602001	ISO ADJ COTTON	ISO 105-F02 Cotton Adjacent Fabric Cotton Limbric Approx Weight: 115 grams/meter ² (3.39 ounces/yard ²) Approx Width: 45 inches (114 cm)
1602002	ISO ADJ COTTON 5M	ISO 105-F02 Cotton Adjacent Fabric Cotton Limbric, Pack of 5 Meters
1602003	ISO ADJ COTTON 4X10 PCS	ISO 105-F02 Cotton Adjacent Fabric, Cotton Limbric Pre cut 4 cm X 10 cm (Straight Edges) pieces Pack of 100 Pieces

ISO Single Fiber Standard Adjacent Polyamide 105-F03		
1603001	ISO ADJ POLYAMIDE	ISO 105-F03 Polyamide Adjacent Fabric Approx Weight: 130 grams/meter ² (3.83 ounces/yard ²) Approx Width: 42 inches (106 cm), Linear Meter
1603002	ISO ADJ POLYAMIDE 5M	ISO 105-F03 Polyamide Adjacent Fabric, Pack of 5 Meters
1603003	ISO ADJ POLYAMIDE 4X10 PCS	ISO 105-F03 Polyamide Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
1410006	365 TF STANDARD ADJACENT POLYAMIDE	Spun Nylon 6.6 Woven Fabric, Plain Weave
ISO Single Fiber Standard Adjacent Polyester 105-F04		
1604001	ISO ADJ POLYESTER	ISO 105-F04 Polyester Adjacent Fabric Approx Weight: 130 grams/meter ² (3.83 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1604002	ISO ADJ POLYESTER 5M	ISO 105-F04 Polyester Adjacent Fabric, Pack of 5 Meters
1604003	ISO ADJ POLYESTER 4X10 PCS	ISO 105-F04 Polyester Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
ISO Single Fiber Standard Adjacent Silk 105-F06		
1605001	ISO ADJ SILK	ISO 105-F06 Silk Adjacent Fabric Approx Weight: 60 grams/meter ² (1.76 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter
1605002	ISO ADJ SILK 5M	ISO 105-F06 Silk Adjacent Fabric, Pack of 5 Meters
1605003	ISO ADJ SILK 4X10 PCS	ISO 105-F06 Silk Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
ISO Single Fiber Standard Adjacent Viscose 105-F02		
1606001	ISO ADJ VISCOSE	ISO 105-F02 Viscose Adjacent Fabric Approx Weight: 140 grams/meter ² (4.12 ounces/yard ²) Approx Width: 58 inches (147 cm), Linear Meter
1606002	ISO ADJ VISCOSE 5M	ISO 105-F02 Viscose Adjacent Fabric, Pack of 5 Meters
1606003	ISO ADJ VISCOSE 4X10 PCS	ISO 105-F02 Viscose Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
ISO Single Fiber Standard Adjacent Wool 105-F01		
1607001	ISO ADJ WOOL	ISO 105-F01 Wool Adjacent Fabric Approx Weight: 125 grams/meter ² (3.68 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1607002	ISO ADJ WOOL 5M	ISO 105-F01 Wool Adjacent Fabric, Pack of 5 Meters
1607003	ISO ADJ WOOL 4X10 PCS	ISO 105-F01 Wool Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
ISO STANDARD REFERENCE TEST MATERIALS		
Item Number	Item Name	Item Description
EN388 Standard Reference Materials		
1701001	EN 388 COTTON CANVAS	EN 388 cotton canvas material, Pack of 5 Meters
ISO 105-E04 Reagents		
1702001	ISO PA	ISO E04 Powder A, Colour fastness to acid perspiration (pH 5.5), 50 grams Jar
1702002	ISO PB	ISO E04 Powder B, Colour fastness to alkaline perspiration (pH 8.00), 50 grams Jar
ISO Blue Wools		
1703001	ISO BLUE WOOL 1	ISO Blue Wool Reference Standard No.1 (25 cm X 15 cm Piece), Piece
1703002	ISO BLUE WOOL 2	ISO Blue Wool Reference Standard No.2 (25 cm X 15 cm Piece), Piece
1703003	ISO BLUE WOOL 3	ISO Blue Wool Reference Standard No.3 (25 cm X 15 cm Piece), Piece
1703004	ISO BLUE WOOL 4	ISO Blue Wool Reference Standard No.4 (25 cm X 15 cm Piece), Piece
1703005	ISO BLUE WOOL 5	ISO Blue Wool Reference Standard No.5 (25 cm X 15 cm Piece), Piece
1703006	ISO BLUE WOOL 6	ISO Blue Wool Reference Standard No.6 (25 cm X 15 cm Piece), Piece
1703007	ISO BLUE WOOL 7	ISO Blue Wool Reference Standard No.7 (25 cm X 15 cm Piece), Piece
1703008	ISO BLUE WOOL 8	ISO Blue Wool Reference Standard No.8 (25 cm X 15 cm Piece), Piece
1703009	ISO BLUE WOOL SET	ISO Blue Wool Reference Standard No. 1 to 8 complete set (Each Piece is 25 cm X 15 cm), Pack

<u>ISO Gray Scales</u>		
1704001	ISO GRAY C	ISO Grey Scale For Change in Colour, Piece
1704002	ISO GRAY S	ISO Grey Scale For Staining, Piece
<u>ISO Reference Materials</u>		
1705001	MWF PAD	Mineral-wool fibre Pad For ISO 12952-1, Piece
1705002	W-TNV-30	Woven cotton discs for wetting power complying to DIN 53901 / EN 1772 / ISO 8022, Pack of 1000 Pieces
<u>ISO Reference Threads</u>		
1706001	ISO 13936 THREAD	100% polyester core spun (filament core, staple sheath) Approximate resultant linear density 45±5, (Apparel fabric), 6000 Yards/Cone
1706002	ISO 13936-2 THREAD	100% polyester core spun (filament core, staple sheath) Approximate resultant linear density 74±5, (Furnishing fabric), 6000 Yards/Cone
<u>ISO/SDC Reference Materials</u>		
1707001	SDC FL SUPPRESSOR	Fluorescent Suppressor Laminated Plate, Pack
1707002	SDC HUMIDITY TC	ISO Humidity Test Control (25 cm X 15 cm Piece), Pack
1707003	SDC STD DEPT	Standard Depth Matt, Pack
<u>PHENOLIC YELLOWING TEST MATERIALS</u>		
Item Number	Item Name	Item Description
<u>Phenolic Yellowing Test Materials with COC for ISO X-18 & M&S C20B</u>		
2001001	TFPC 25	Testfabrics Phenotest Control Fabric. 100 X 30 mm according to EN ISO 105-X18 & M&S C20B, Pack of 25 Pieces
2001002	TFPF 25	Test Phenotest BHT-Free Polyethylene Film 400 X 200 mm according to EN ISO 105-X18 & M&S C20B, Pack of 25 Pieces
2001003	TFPG 10	Testfabrics Phenotest Glass Plates 100 X 40 X 3 mm according to EN ISO 105-X18 & M&S C20B, Pack of 10 Pieces
2001004	TFPP 50	Testfabrics Phenotest Impregnated Test Papers 100 X 75 mm according to EN ISO 105-X18 & M&S C20B Note: Shelf life of 4 months after foil bags have been opened, Pack of 50 Pieces
<u>FLAMMABILITY STANDARD REFERENCE TEST MATERIALS</u>		
Item Number	Item Name	Item Description
<u>BSI Flammability Std Reference Test Materials</u>		
1501001	700-5852	100 % Polyester FR for BSI 5852, Linear Meter
1501002	CRIB # 4	BSI-5852- Part II Ignition Crib # 4, Pack of 1 Piece
1501003	CRIB # 5	BSI-5852- Part II Ignition Crib # 5, Pack of 1 Piece
1501004	CRIB # 6	BSI-5852- Part II Ignition Crib # 6, Pack of 1 Piece
1501005	CRIB # 7	BSI-5852- Part II Ignition Crib # 7, Pack of 1 Piece
<u>CPSC/CFR & CAN Flammability Std Reference Test Materials</u>		
1502001	CAN CGSB 4.2 THREAD	3 Ply Mercerized White Cotton Thread 6000 Yards/Cone, Cone
1502002	CFR 1610 THREAD	No.50, Mercerized Cotton Thread 6000 Yards/Cone, Cone
1502003	CFR 1610 WOOL	Testfabrics Style 526 Wool Worsted Flannel Natural Scoured, Approx Width: 60 inches (152 cm), Linear Meter
1502004	CFR 1611 COTTON THREAD	Heavy Duty Cotton Thread for CPSC CFR 1611.4 Flammability Test 350 Yards per Spool, Set of 3 Spools
1502005	CFR 1632 COTTON	Testfabrics Style 400 Cotton Bleached Desized Cotton Print Cloth, Approx Width: 45 inches (114 cm), Linear Meter
1502006	CPSC 8X5X3 FOAM	8" X 5"X 3" Urethane Foam Blocks, Box of 72 Pieces
1502007	CPSC 8X8X3 FOAM	8" X 8"X 3" Urethane Foam Blocks, Box of 36 Pieces
<u>Miscellaneous Flammability Std Test Materials</u>		
1503001	W66 400 6X6 L	Cotton Fabric 400 cut into 6"X6" Pieces, Laundered, Pack of 100 Pieces
<u>UFAC & CA TB117 Flammability Std Reference Test Materials</u>		
1504001	8500	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Approx Width: 54 inches (137 cm), Linear Meter

1504002	8500 8X11 PCS	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Precut into 8 X 11 inches Pieces, Pack of 50 Pieces
1504003	8500 8X15 PCS	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Precut into 8 X 15 inches Pieces, Pack of 50 Pieces
1504004	8500 8X8 PCS	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Precut into 8 X 8 inches Pieces, Pack of 50 Pieces
1504005	CA TB117 FOAM SET	Kit consist of 1 Piece 8"X8"X2" and 1 Piece 8"X5"X2" According to TB 117 Box of 28 Kits , Box
1504006	MINI MOCKUP TESTER	Mini Mockup Tester for TB117, Set
1504007	METHENAMINE TABS	Methanamine Reagent Tabs for Ignition Test, Made in USA, Bottle of approximately 100 tabs
1504008	NFR BATT	2" thick NFR 100% Cotton Batting, 27" X 10 yards, Roll
1504009	SRM 1196 TEST CIG	Standard Cigarette for Ignition Resistance Testing 2 cartons(400 cigarettes), Set
1504010	UF 400 5X5 L PCS	Laundered Cotton Sheeting Material 100% cotton bed sheeting material, weight 125 ± 28 g/m2 (3.7 ± 0.8 oz/yd2), white in color, and not treated with flame retardants, shall be used to cover test cigarettes. Precut into squares 127 x 127 mm (5.0 x 5.0 in), Pack of 100 Pieces
1504011	UF 400 5X5 UL PCS	Unlaundered Cotton Sheeting Material 100% cotton bed sheeting material, weight 125 ± 28 g/m2 (3.7 ± 0.8 oz/yd2), white in color, and not treated with flame retardants, shall be used to cover test cigarettes. Precut into squares 127 x 127 mm (5.0 x 5.0 in), Pack of 100 Pieces
1504012	UF 400 UL	Unlaundered Sheeting Material 100% cotton bed sheeting material, Approx Width: 45 inches (102 cm), Linear Meter
1504013	UFAC 104	UFAC Standard Type II Cover Fabric Cover fabric shall be 100% bright regular rayon, scoured, 20/2, ring spun, basket weave construction, Approx Width: 56 inches (142 cm), Linear Meter
1504014	UFAC 2" POLY BATT 8X14 PCS	2" thick Polyester Batting Precut 8X14 inch Pieces, Pack of 50 Pieces
1504015	UFAC 2" POLY BATT 8X8 PCS	2" thick Polyester Batting Precut 8X8 inch Pieces, Pack of 50 Pieces
1504016	UF 3 UL	Unlaundered UFAC & TB 117 Standard Type I fabric Cover fabric shall be 100% cotton mattress ticking, Approx Width: 56 inches (142 cm), Linear Meter
1504017	UFAC 3 TICK 12X12 L PCS	UF 3 Ticking, Laundered Precut 12X12 inch Pieces, Pack of 50 Pieces
1504018	UFAC 3 TICK 8X15 L PCS	UF 3 Ticking, Laundered Precut 8X15 inch Pieces, Pack of 50 Pieces
1504019	UFAC 3 TICK 8X8 L PCS	UF 3 Ticking, Laundered Precut 8X8 inch Pieces, Pack of 50 Pieces
1504020	UFAC 5X8X2 FOAM	Polyurethane Foam Substrate Foam Blocks (5.0 x 8.0 x 2.0 in)127 x 203 x 51 mm, Box of 45 Pieces
1504021	UFAC 8X8X2 FOAM	Polyurethane Foam Substrate Foam Blocks (8.0 x 8.0 x 2.0 in) 203 x 203 x 51 mm, Box of 45 Pieces

AUTOMOTIVE STANDARD REFERENCE TEST MATERIALS

Item Number	Item Name	Item Description
<u>Cotton Cheese Cloth</u>		
0701001	CHEESE 10	Cotton Cheese Cloth Grade 10, Approx Width: 36 inches (91 cm), Linear Meter
0701002	CHEESE 20	Cotton Cheese Cloth Grade 20, Approx Width: 36 inches (91 cm), Linear Meter
0701003	CHEESE 40	Cotton Cheese Cloth Grade 40, Approx Width: 36 inches (91 cm), Linear Meter
0701004	CHEESE 50	Cotton Cheese Cloth Grade 50, Approx Width: 36 inches (91 cm), Linear Meter
0701005	CHEESE 60	Cotton Cheese Cloth Grade 60, Approx Width: 36 inches (91 cm), Linear Meter

0701006	CHEESE 90	Cotton Cheese Cloth Grade 90, Approx Width: 36 inches (91 cm), Linear Meter
Ford, GM, Chrysler, Toyota, Honda, Nissan, Renault and other Standard Reference Materials		
0702001	7444 PVC	Vinyl Coated Fabric for Chrysler Test Seam Slippage Test MS-JK-2-76 Type A, Approx Width: 60 inches (152 cm), Linear Meter
0702002	ACT COUPON	ACT Circles 01X02X.125 for GMW14872, Pack of 20 Pieces
0702003	APLIX 800	2" Black Nylon Hook Velcro Sew In, Roll of 50 Yards
0702004	AT 425	Bleached Cotton Flannel (With optical brightener) Napped both sides for Automotive Test, Approx Width: 45 inches (114 cm), Linear Meter
0702005	AT 474 CHRYSLER	No. 8 Greige Cotton Duck Approx Width: 48 inches (121 cm), Linear Meter
0702006	M0141 FLANNEL	Cotton Flannel for Nissan Test, Linear Meter
0702007	CESCONI CT FAB	Abradent Cotton Fabric According to FIAT and other specifications Approx Weight: 200 grams/meter ² (5.89 ounces/yard ²) Approx Width: 65 inches (165 cm), Linear Meter
0702008	CESCONI WL FAB	Abradent Wool Fabric According to FIAT and other specifications Approx Weight: 320 grams/meter ² (9.43 ounces/yard ²) Approx Width: 55 inches (140 cm), Linear Meter
0702009	D45 1010 WOOL	16 mm round Wool Felt Pieces for Renault Crockmeter Test Pack of 1000 Pieces
0702010	DENIM 2550Y	Blue Denim dyed Indigo (Replacement for 1655/1615) Approx Width: 66 inches (167 cm), Linear Meter
0702011	AT GAUZE # 1	Japanese Cotton Absorbent Gauze 30 X 100 cm, Piece
0702012	LEATHER PIECES	WGSEDA Arctic White Regular Dull Light Sierra Grain Leather 3 mm thick, (50 x 50 mm pieces), Pack of 100 Pieces
Greige Cotton Duck		
0703001	AT 408 DUCK	No. 4 Greige Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter
0703002	AT 410 DUCK	No. 6 Greige Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter
0703003	AT 426 ACT DUCK	No. 10 Cotton Duck according to ACT /D 4157 Specs Approx Width: 60 inches (150 cm), Linear Meter
0703004	AT 426 DUCK	No. 10 Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter
0703005	AT 474 DUCK	No. 8 Greige Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter
JIS (Japanese Industrial Standard) Fabrics		
0704001	JIS 3 SHIRTING	Japanese Cotton Shirting No. 3 (Kanakan # 3) Approx Width: 36 inches (91 cm), Linear Meter
0704002	JIS 6 DUCK	Japanese Cotton Duck No. 6 Approx Width: 36 inches (91 cm), Linear Meter
0704003	JIS 9 DUCK	Japanese Cotton Duck No. 9 Approx Width: 36 inches (92 cm), Linear Meter
0704004	JIS 10 DUCK	Japanese Cotton Duck No. 10 Approx Width: 45 inches (114 cm), Linear Meter
0704005	JIS 14 DUCK	Japanese Cotton Duck No. 14 (Katsuragi No.14) Approx Width: 48 inches (122 cm), Linear Meter
0704006	JIS WOOL	Japanese Wool L0803, Linear Meter
PVC		
0705001	PVC	White Unembossed & Unsupported Vinyl Approx Width: 59 inches (150 cm), Linear Meter
0705002	PVC 2X2 PCS	White Unembossed & Unsupported Vinyl Precut into 2 X 2 inches Pieces, Pack of 200 Pieces
0705003	PVC 2X4 PCS	White Unembossed & Unsupported Vinyl Precut into 2 X 4 inches Pieces, Pack of 200 Pieces
SAE Polystyrene Chip		
0706001	PS CHIP	Polystyrene Reference Plastic Standard Chips for use with Xenon Arc Weatherometer, Pack of 50 Pieces
Swissatest (EMPA) Automotive Standard Reference Materials		
0707001	EMPA 128/1	Cotton Jeans, indigo/sulfur black, soiled with carbon black/olive oil, according VDA, Approx Width: 14 inches (35 cm), Linear Meter
0707002	EMPA 128/3	Cotton Jeans, indigo/sulfur black, soiled with sebum and pigment Approx Width: 14 inches (35 cm), Linear Meter
0707003	EMPA 750	Rubber membrane according GMW 4749 (GMW part-no. 14125), 3 pieces A5, Box of 3 Pieces

0707004	EMPA 751	Velcro black according VDA 230-210, PV 3961, Roll of 25 Meters
AATCC, ISO, IEC, AHAM AND OTHER CONSUMER DETERGENTS & IDENTIFICATION STAINS		
Item Number	Item Name	Item Description
AATCC Standard Liquid & Powder Detergents		
0501001	AATCC LIQUID DET WOB 3.5GAL	AATCC 2003 Standard Reference Liquid Detergent WITHOUT Optical Brighteners, 3.5 Gallon Bucket
0501002	AATCC POWDER DET OPT 1KG	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 1 Kg special Bucket to withstand High Temperatures, 1 Kg High-density Polyethylene Bucket
0501003	AATCC POWDER DET OPT 5KG	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 5 Kg special Bucket to withstand High Temperatures, 5 Kg High-density Polyethylene Bucket
0501004	AATCC POWDER DET OPT 10KG	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 10 Kg special Bucket to withstand High Temperatures, 10 Kg High-density Polyethylene Bucket
0501005	AATCC POWDER DET OPT 24LBS	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 24 Lbs special Bucket to withstand High Temperatures, 24 Lbs High-density Polyethylene Bucket
0501006	AATCC POWDER DET WOB 1KG	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 1 Kg special Bucket to withstand High Temperatures, 1 Kg High-density Polyethylene Bucket
0501007	AATCC POWDER DET WOB 5KG	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 5 Kg special Bucket to withstand High Temperatures, 5 Kg High-density Polyethylene Bucket
0501008	AATCC POWDER DET WOB 10KG	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 10 Kg special Bucket to withstand High Temperatures, 10 Kg High-density Polyethylene Bucket
0501009	AATCC POWDER DET WOB 24LBS	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 24 Lbs special Bucket to withstand High Temperatures, 24 Lbs High-density Polyethylene Bucket
Clorox 2 Powder & Liquid		
0502001	CLOROX 2 LIQUID XXXL	Clorox 2 Liquid contact us for currently available size
0502002	CLOROX 2 POWDER XXXKG	Clorox 2 Powder, contact us for currently available size
ISO, IEC, AHAM & SASO Standard Detergents		
0503001	AHAM F3 POWDER DETERGENT	AHAM HLW-1 Test Detergent (2010), Box of 5 Kg
0503002	ECE 77 POWDER DETERGENT	ECE reference detergent 77 for colour fastness ISO 105-C06, ISO 105-C02 without optical brightener, Box of 1 Kg
0503003	ECE 98 POWDER DETERGENT	ECE reference detergent 98 for colour fastness ISO 105-C08/09, without phosphate, Box of 1 Kg
0503004	IEC A POWDER DETERGENT	IEC reference detergent type A*, without phosphates, EN/IEC Publication 60456, Box of 5 Kg
0503005	IEC B POWDER DETERGENT	IEC reference detergent type B, with phosphates, EN/IEC Publication 60456, Box of 5 Kg
0503006	ISO-A1 POWDER DETERGENT	ISO 15797 Ref. Detergent A1 WITH optical brightener, Box of 25 Kg
0503007	ISO-A2 POWDER DETERGENT	ISO 15797 Ref. Detergent A2 WITHOUT optical brightener, Box of 25 Kg
0503008	PERBORATE POWDER	Perborate – tetrahydrate, bleaching agent Powder, Box of 1 Kg
0503009	SASO DET	Non-Drum Type Detergent, Box of 5 Kg
0503010	STANDARD SOAP	Standard Soap, 2 Kg High-density Polyethylene Bucket
0503011	TAED POWDER	TAED Tetraacetylenediamine, concentration 99% ± 0.5% Powder, Box of 250 Grams
Test Method Specific Detergents & Cleaning Products		
0504001	CAT DET 1610	Cationic Liquid Detergent for Test Method CFR1610, Bottle of 500 ml
0504002	PERKSHEEN	Perksheen Cleaning Fluid for AATCC Test Method 132 (Dry Cleaning), Bottle of 1 Gallon
Textile Fiber Identification Stains		
0505001	TIS 1 250GRAMS	Textile Identification Stain # 1 Gives better color differential between NATURAL fibers, Plastic Jar of 250 Grams
0505002	TIS 1 500GRAMS	Textile Identification Stain # 1 Gives better color differential between NATURAL fibers, Plastic Jar of 500 Grams
0505003	TIS 3A 250GRAMS	Textile Identification Stain #3A Gives better color differential between SYNTHETIC fibers, Plastic Jar of 250 Grams

0505004	TIS 3A 500GRAMS	Textile Identification Stain #3A Gives better color differential between SYNTHETIC fibers, Plastic Jar of 500 Grams
0505005	TIS 4 100GRAMS	Textile Identification Dupont Stain 4, Gives better color differential between NATURAL & SYNTHETIC fibers, Plastic Jar of 100 Grams
<u>Tide Liquid Detergent</u>		
0506001	TIDE LIQUID XXXL	Tide Liquid US Detergent, contact us for currently available size, Bottle
<u>Tide Powder Detergent</u>		
0507001	TIDE POWDER XXXKG MS	Tide Powder Mountain Spring US Detergent, contact us for currently available size
0507002	TIDE POWDER XXXKG OS	Tide Powder Original Scent US Detergent, contact us for currently available size
<u>US, UK & International Consumer Laundry Detergents & Cleaning Products</u>		
0508001	PERSIL POWDER XXXKG	Persil Powder UK Laundry Detergent, contact us for currently available size
0508002	WOOLITE LIQUID XXXL	Woolite Liquid US Laundry Detergent, contact us for currently available size

AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS		
Item Number	Item Name	Item Description
<u>AATCC MFF 1 (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Silk, Viscose & Wool</u>		
0401001	<u>MFF 1 PRECUT 2X2 CCE PCS</u>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 2 inches (5 X 5 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 500 Pieces
0401002	<u>MFF 1 PRECUT 2X2 HSE PCS</u>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 2 inches (5 X 5 cm) WITH Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cut, heat sealed edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 500 Pieces
0401003	<u>MFF 1 PRECUT 2X2 OCE PCS</u>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 2 inches (5 X 5 cm) WITH 2 Overcast (Serged) Edges and 2 Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cut, heat sealed & serged for use in any heavy mechanical action test such as AATCC TM 61 (3A & 4A)-Colorfastness to Laundering test done in a Laundrometer. Pack of 500 Pieces
0401004	<u>MFF 1 PRECUT 2X4 CCE PCS</u>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 4 inches (5 X 10 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 250 Pieces
0401005	<u>MFF 1 PRECUT 2X4 HSE PCS</u>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 4 inches (5 X 10 cm) WITH Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 250 Pieces
0401006	<u>MFF 1 UNCUT 1M PACK</u>	AATCC Multifiber test fabric # 1, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 1 Meter
0401007	<u>MFF 1 UNCUT 5M PACK</u>	AATCC Multifiber test fabric # 1, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 5 Meters

0401008	MFF 1 UNCUT 25M ROLL	AATCC Multifiber test fabric # 1, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Roll of 25 Meters
<u>AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS</u>		
Item Number	Item Name	Item Description
<u>AATCC MFF 10 (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic & Wool</u>		
0402001	MFF 10 PRECUT 2X2 CCE PCS	AATCC Multifiber test fabric # 10 precut pieces of 2 X 2 inches (5 X 5 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges) Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cold cut edges for use in any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 500 Pieces
0402002	MFF 10 PRECUT 2X2 HSE PCS	AATCC Multifiber test fabric # 10 precut pieces of 2 X 2 inches (5 X 5 cm) WITH Heat Sealed (Fused) Edges Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cut, heat sealed edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 500 Pieces
0402003	MFF 10 PRECUT 2X2 OCE PCS	AATCC Multifiber test fabric # 10 precut pieces of 2 X 2 inches (5 X 5 cm) WITH 2 Overcast (Serged) Edges and 2 Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cut, heat sealed & serged for use in any heavy mechanical action test such as AATCC TM 61 (3A & 4A)-Colorfastness to Laundering test done in a Laundrometer. Pack of 500 Pieces
0402004	MFF 10 PRECUT 2X4 CCE PCS	AATCC Multifiber test fabric # 10 precut pieces of 2 X 4 inches (5 X 10 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges) Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 250 Pieces
0402005	MFF 10 PRECUT 2X4 HSE PCS	AATCC Multifiber test fabric # 10 precut pieces of 2 X 4 inches (5 X 10 cm) WITH Heat Sealed (Fused) Edges Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer Pack of 250 Pieces
0402006	MFF 10 UNCUT 1M PACK	AATCC Multifiber test fabric # 10, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 1 Meter
0402007	MFF 10 UNCUT 5M PACK	AATCC Multifiber test fabric # 10, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 5 Meters

0402008	MFF 10 UNCUT 25M ROLL	AATCC Multifiber test fabric # 10, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Testfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Roll of 25 Meters
AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS		
Item Number	Item Name	Item Description
AATCC MFF 10A (ISO DW) (6 fibers 15mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic & Wool		
0403001	MFF 10A (DW) PRECUT 4X10 CCE PCS	AATCC & ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 4 X 10 cm (1.57 X 3.93 inches) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cold cut edges for use in any stationary tests done in a perspiration tester. Pack of 250 Pieces
0403002	MFF 10A (DW) PRECUT 4X10 HSE PCS	AATCC & ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 4 X 10 cm (1.57 X 3.93 inches) WITH Heat Sealed (Fused) Edges. Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 250 Pieces
0403003	MFF 10A (DW) PRECUT 4X10 OCE PCS	AATCC & ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 4 X 10 cm (1.57 X 3.93 inches) WITH 2 Overcast (Serged) Edges and 2 Heat Sealed (Fused) Edges. Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cut, heat sealed & serged for use in any heavy mechanical action test such as AATCC TM 61 (3A & 4A)-Colorfastness to Laundering test done in a Laundrometer. Pack of 250 Pieces
0403004	MFF 10A (DW) PRECUT 5X10 CCE PCS	AATCC & ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 250 Pieces
0403005	MFF 10A (DW) PRECUT 5X10 HSE PCS	AATCC & ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 5 X 10 cm (1.96 X 3.93 inches) WITH Heat Sealed (Fused) Edges. Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 250 Pieces
0403006	MFF 10A (DW) UNCUT 1M PACK	AATCC & ISO (DW) Multifiber test fabric # 10A (DW), six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Testfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 1 Meter
0403007	MFF 10A (DW) UNCUT 5M PACK	AATCC & ISO (DW) Multifiber test fabric # 10A (DW), six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Testfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 5 Meters
0403008	MFF 10A (DW) UNCUT 25M ROLL	AATCC & ISO (DW) Multifiber test fabric # 10A (DW), six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Testfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Roll of 25 Meters

AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS		
Item Number	Item Name	Item Description
ISO MFF 41 (TV) (6 fibers 1.5 cm stripe) of Triacetate, Cotton, Polyamide, Polyester, Acrylic & Viscose		
0404001	MFF 41 (TV) PRECUT 4X10 CCE	ISO Multifibre adjacent fabric Type "TV" precut pieces of 4 X 10 cm (1.57 X 3.93 inches) Cold Cut Straight Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Pack of 250 Pieces
0404002	MFF 41 (TV) PRECUT 5X10 CCE	ISO Multifibre adjacent fabric Type "TV" precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Pinked Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Pack of 250 Pieces
0404003	MFF 41 (TV) UNCUT 10M ROLL	ISO Multifibre adjacent fabric Type "TV" Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Approx Width: 4 inches (10 cm), Roll of 10 Meters
0404004	MFF 41 (TV) UNCUT 50M ROLL	ISO Multifibre adjacent fabric Type "TV" Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Approx Width: 4 inches (10 cm), Roll of 50 Meters
ISO MFF 42 (DW) (6 fibers 1.5 cm stripe) of Acetate, Cotton, Polyamide, Polyester, Acrylic & Wool		
0405001	MFF 42 (DW) PRECUT 4X10 CCE	ISO Multifibre adjacent fabric Type "DW" precut pieces of 4 X 10 cm (1.57 X 3.93 inches) Cold Cut Straight Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Pack of 250 Pieces
0405002	MFF 42 (DW) PRECUT 5X10 CCE	ISO Multifibre adjacent fabric Type "DW" precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Pinked Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Pack of 250 Pieces
0405003	MFF 42 (DW) UNCUT 10M ROLL	ISO Multifibre adjacent fabric Type "DW" Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Approx Width: 4 inches (10 cm), Roll of 10 Meters
0405004	MFF 42 (DW) UNCUT 50M ROLL	ISO Multifibre adjacent fabric Type "DW" Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Approx Width: 4 inches (10 cm), Roll of 50 Meters
AATCC (AMERICAN) & ISO (EUROPEAN) & OTHER MULTIFIBER TEST FABRICS		
Item Number	Item Name	Item Description
MFF 43 (13 fibers 8 mm stripe) of Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool.		
0408001	MFF 43 PRECUT 5X10 CCE PCS	Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Pack of 250 Pieces Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Pack of 250 Pieces

0408002	MFF 43 UNCUT 10M ROLL	Multifiber test fabric MFF 43 Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Approx Width: 5 inches (12 cm), Roll of 10 Meters
0408003	MFF 43 UNCUT 50M ROLL	Multifiber test fabric MFF 43 Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Approx Width: 5 inches (12 cm), Roll of 50 Meters
JCPenney MFF 49 (8 fibers 1.25cm stripe) of Eight fiber (1.25 cm stripe) containing Acetate, Cotton, Polyamide, Polyester, Acrylic, Silk, Viscose and Wool.		
0406001	MFF 49 PRECUT 5X10 CCE PCS	JC Penney Multifiber test fabric MFF 49 precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Edges. 2 woven edges and 2 cold cut edges Eight fiber (1.25 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic, silk, viscose and wool. Pack of 250 Pieces
0406002	MFF 49 UNCUT 10M ROLL	JC Penney Multifiber test fabric MFF 49 Eight fiber (1.25 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic, silk, viscose and wool. Approx Width: 4 inches (10 cm), Roll of 10 Meters
0406003	MFF 49 UNCUT 50M ROLL	JC Penney Multifiber test fabric MFF 49 Eight fiber (1.25 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic, silk, viscose and wool. Approx Width: 4 inches (10 cm), Roll of 50 Meters
FABRICS		
Item Number	Item Name	Item Description
Acetate Fabrics		
1401001	105B	Acetate Satin Bright Warp, Delustered Filling Approx Weight: 177 grams/meter ² (5.2 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1401002	122	Acetate Tricot All Delustered Filament Approx Weight: 78 grams/meter ² (2.3 ounces/yard ²) Approx Width: 52 inches (132 cm), Linear Meter
Acrylic Fabrics		
1402001	871	Spun Acrylic Woven Fabric. Plain Weave Approx Weight: 190 grams/meter ² (5.6 ounces/yard ²) Approx Width: 44 inches (111 cm), Linear Meter
1402002	981	Creslan Acrylic Type 61 Approx Weight: 135 grams/meter ² (3.98 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
Cotton Fabrics		
1403001	400	Bleached Desized Cotton Print Cloth Note: Style 400 is no longer an ISO Adjacent Cotton, for ISO Adjacent Cotton please refer to available item ISO ADJ COTTON Approx Weight: 100 grams/meter ² (2.94 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter

1403002	400M	Bleached Desized Mercerized Cotton Print Cloth Approx Weight: 107 grams/meter ² (3.15 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1403003	400R	Greige Cotton Print Cloth Approx Weight: 122 grams/meter ² (3.59 ounces/yard ²) Approx Width: 48 inches (122 cm), Linear Meter
1403004	400U	Desized, Unbleached Cotton Print Cloth Approx Weight: 108 grams/meter ² (3.18 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1403005	403	Cotton Interlock Knit Tubular Approx Weight: 271 grams/meter ² (7.96 ounces/yard ²) Approx Width: 72 inches (182 cm), Linear Meter
1403006	407	Bleached Mercerized Cotton Poplin Approx Weight: 180 grams/meter ² (5.3 ounces/yard ²) Approx Width: 64 inches (163 cm), Linear Meter
1403007	408	# 4 Greige Cotton Duck Approx Weight: 858 grams/meter ² (25.3 ounces/yard ²) Approx Width: 36 inches (91 cm), Linear Meter
1403008	410	# 6 Greige Cotton Duck Approx Weight: 775 grams/meter ² (22.85 ounces/yard ²) Approx Width: 36 inches (91 cm), Linear Meter
1403009	411	Cotton Corduroy 16 Wale Approx Weight: 255 grams/meter ² (7.52 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403010	418	Bleached, Combed Broadcloth (Unmercerized) Approx Weight: 120 grams/meter ² (3.53 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1403011	419	Bleached, Mercerized Combed Broadcloth 45" wide Approx Weight: 120 grams/meter ² (3.53 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1403012	419B	Bleached, Mercerized Combed Broadcloth (With wash/wear finish) Approx Weight: 125 grams/meter ² (3.68 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403013	419W	Bleached, Mercerized Combed Broadcloth Approx Weight: 120 grams/meter ² (3.53 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403014	419WB	Black Dischargeable Broadcloth Approx Weight: 125 grams/meter ² (3.68 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403015	420BR	Bleached Cotton Terry Cloth (With optical brightener) Approx Weight: 306 grams/meter ² (9.02 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403016	423	Bleached, Mercerized Cotton Twill Approx Weight: 258 grams/meter ² (7.6 ounces/yard ²) Approx Width: 62 inches (157 cm), Linear Meter
1403017	425	Bleached Cotton Flannel (With optical brightener) Napped both sides Approx Weight: 122 grams/meter ² (3.6 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1403018	425U	Unbleached Cotton Flannel Approx Weight: 125 grams/meter ² (3.68 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1403019	426	# 10 Greige Cotton Duck Approx Weight: 500 grams/meter ² (14.74 ounces/yard ²) Approx Width: 36 inches (91 cm), Linear Meter
1403020	428	Army Carded Cotton Sateen, Desized and Bleached Approx Weight: 235 grams/meter ² (6.93 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1403021	428U	Army Carded Cotton Sateen, Desized and Unbleached Approx Weight: 224 grams/meter ² (6.6 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1403022	429W	Bleached Combed Cotton Fabric Approx Weight: 100 grams/meter ² (2.94 ounces/yard ²) Approx Width: 55 inches (140 cm), Linear Meter
1403023	435	Combed Cotton Batiste Approx Weight: 70 grams/meter ² (2.06 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter

1403024	437-60	Bleached Cotton T-shirt Fabric 60" Open Width Approx Weight: 124 grams/meter ² (3.65 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403025	437W	Bleached Cotton T-shirt Fabric 30" Tubular Approx Weight: 149 grams/meter ² (4.4 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter
1403026	439UXW	Unbleached, Percale Sheeting Approx Weight: 123 grams/meter ² (3.62 ounces/yard ²) Approx Width: 110 inches (279 cm), Linear Meter
1403027	439XW	Percale Sheeting (With optical brightener) Approx Weight: 120 grams/meter ² (3.53 ounces/yard ²) Approx Width: 110 inches (279 cm), Linear Meter
1403028	447	Cotton Organdy (With optical brightener) Approx Weight: 70 grams/meter ² (2.06 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1403029	448	Bleached Cotton Velveteen Approx Weight: 265 grams/meter ² (7.81 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1403030	453	Bleached, Mercerized Combed Cotton Broadcloth (Sanforized) Approx Weight: 120 grams/meter ² (3.53 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1403031	459	Bleached Cotton Knit - Sport shirt weight Tubular, Lacoste Approx Weight: 175 grams/meter ² (5.16 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter
1403032	460	Bleached Cotton Interlock Knit 30" Tubular Approx Weight: 198 grams/meter ² (5.83 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter
1403033	460-60	Bleached Cotton Interlock Knit 60" Open Width Approx Weight: 183 grams/meter ² (5.4 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403034	460B	Cotton Interlock Knit Direct Black, 30" Tubular Approx Weight: 215 grams/meter ² (6.34 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter
1403035	460U	Unbleached Cotton Interlock Knit 30" Tubular Approx Weight: 198 grams/meter ² (5.8 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter
1403036	464	Desized, Bleached Cotton Duck (7oz) (With optical brightener) Approx Weight: 220 grams/meter ² (6.48 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403037	464U	Desized, Unbleached Cotton Duck (Approx. 7 Oz) Approx Weight: 217 grams/meter ² (6.4 ounces/yard ²) Approx Width: 58 inches (147 cm), Linear Meter
1403038	465	Desized, Bleached Heavy Sail Cloth (10oz) (With optical brightener) Approx Weight: 282 grams/meter ² (8.31 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403039	465U	Desized, Unbleached Heavy Sail Cloth (10oz) Approx Weight: 282 grams/meter ² (8.31 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403040	466	Desized, Bleached Army Duck (10oz) (With optical brightener) Approx Weight: 315 grams/meter ² (9.29 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403041	466U	Desized, Unbleached Army Duck (10oz) Approx Weight: 330 grams/meter ² (9.73 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1403042	474	# 8 Greige Cotton Duck Approx Weight: 600 grams/meter ² (17.69 ounces/yard ²) Approx Width: 36 inches (91 cm), Linear Meter
1403043	479	Mercerized Combed Cotton Warp Sateen Approx Weight: 155 grams/meter ² (4.57 ounces/yard ²) Approx Width: 55 inches (140 cm), Linear Meter
1403044	480M	Bleached, Mercerized, Combed Cotton Filling Sateen Approx Weight: 111 grams/meter ² (3.27 ounces/yard ²) Approx Width: 58 inches (147 cm), Linear Meter
1403045	492	Cotton Interlock Light Weight Knit 30" Tubular Approx Weight: 140 grams/meter ² (4.12 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter

1403046	492-58	Cotton Interlock Light Weight Approx Weight: 140 grams/meter ² (4.12 ounces/yard ²) Approx Width: 58 inches (147 cm), Linear Meter
1403047	493	100% Cotton sheeting, singed, desized, scoured, bleached (peroxide) without finishes Griege Construction: 60 warp ends/inch x 60 weft picks/inch Workhorse commodity fabric, pfd/pfp, not pre-shrunk Approx Weight: 151 grams/meter ² (4.45 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1403048	493U	Unbleached 100% Cotton sheeting Griege Construction: 60 warp ends/inch x 60 weft picks/inch Workhorse commodity fabric, not pre-shrunk Approx Weight: 149 grams/meter ² (4.39 ounces/yard ²) Approx Width: 55 inches (140 cm), Linear Meter
1403049	494	Bleached Mercerized Cotton Twill Approx Weight: 186 grams/meter ² (5.48 ounces/yard ²) Approx Width: 58 inches (147 cm), Linear Meter
1403050	AC	Airplane Cloth Desized, Unbleached, Mercerized Approx Weight: 133 grams/meter ² (3.92 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
<u>Dyed Polyester Fabrics</u>		
1404001	700-8752	Polyester "Organza" without any finishes available in 22 colors Approx Weight: 70 grams/meter ² (2.2 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1404002	700-8752 CC	Color Card with 1 inch x 2 inches fabric sample of all 22 colors of Polyester "Organza" without any finishes, Card
<u>Filament Polyester Fabrics</u>		
1405001	720	Texturized Polyester Double Knit Jersey (Disperse Dyeable) Approx Weight: 200 grams/meter ² (5.89 ounces/yard ²) Approx Width: 52 inches (132 cm)
1405002	720H	Texturized Polyester Double Knit Jersey Heat Set (Disperse Dyeable) Approx Weight: 206 grams/meter ² (6.07 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1405003	730	Texturized Polyester Interlock Knit Fabric (Disperse Dyeable) Approx Weight: 106 grams/meter ² (3.12 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1405004	749	Filament Polyester Oxford Weave Approx Weight: 168 grams/meter ² (4.95 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
<u>Glass Fabrics</u>		
1406001	978	Glass Fabric Approx Weight: 206 grams/meter ² (6.07 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
<u>Hemp Fabrics</u>		
1407001	H-100	100% Hemp Suiting 4.6 oz/yd Approx Weight: 154 grams/meter ² (4.54 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
<u>Linen Fabrics</u>		
1408001	L-2	Linen Canvas Loomstate Approx Weight: 465 grams/meter ² (13.71 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1408002	L-5-52	Linen Canvas Loomstate Approx Weight: 443 grams/meter ² (13 ounces/yard ²) Approx Width: 52 inches (132 cm) Linear Meter
1408003	L-5-72	Linen Canvas Loomstate Approx Weight: 443 grams/meter ² (13 ounces/yard ²) Approx Width: 72 inches (183 cm) Linear Meter
1408004	L-5-96	Linen Canvas Loomstate Approx Weight: 443 grams/meter ² (13 ounces/yard ²) Approx Width: 96 inches (244 cm), Linear Meter
1408005	L-5040	Cotton/Linen 56/44 Blend Approx Weight: 217 grams/meter ² (6.4 ounces/yard ²) Approx Width: 55 inches (140 cm), Linear Meter

1408006	L-51	Linen Suiting, Oyster Approx Weight: 246 grams/meter ² (7.25 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1408007	L-53	Linen Suiting Natural Approx Weight: 290 grams/meter ² (8.55 ounces/yard ²) Approx Width: 58 inches (147 cm), Linear Meter
1408008	L-54	Suiting, finer than L-51 Approx Weight: 218 grams/meter ² (6.42 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1408009	L-61	Handkerchief Linen Approx Weight: 86 grams/meter ² (2.53 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1408010	L-61U	Unbleached Handkerchief Linen Approx Weight: 90 grams/meter ² (2.65 ounces/yard ²) Approx Width: 60 inches (152 cm)
1408011	L-8	Lighter weight Canvas Linen Loomstate Approx Weight: 240 grams/meter ² (7.07 ounces/yard ²) Approx Width: 84 inches (213 cm), Linear Meter
1408012	L-9	Linen Canvas Loomstate Approx Weight: 320 grams/meter ² (9.43 ounces/yard ²) Approx Width: 84 inches (213 cm), Linear Meter
Nomex Fabrics		
1409001	NOMEX	NOMEX DEFENDER 750 YELLOW For ASTM F1868 Approx Width: 60 inches (152 cm), Linear Meter
Nylon Fabrics		
1410001	304	Filament Nylon 6 Tricot-Bright Approx Weight: 73 grams/meter ² (2.15 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1410002	306A	Filament Nylon 6.6 Semi-Dull Taffeta, Scoured, Heat Set Approx Weight: 59 grams/meter ² (1.74 ounces/yard ²) Approx Width: 59 inches (152 cm), Linear Meter
1410003	314	Texturized Nylon 6.6 Stretch Fabric, Double Knit Approx Weight: 260 grams/meter ² (7.66 ounces/yard ²) Approx Width: 56 inches (142 cm), Linear Meter
1410005	338-60	Nylon Oxford Bunting Approx Weight: 108 grams/meter ² (3.18 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1410006	365	Spun Nylon 6.6 Woven Fabric, Plain Weave Approx Weight: 190 grams/meter ² (5.6 ounces/yard ²) Approx Width: 42 inches (106 cm)
Polyester Fabrics		
1411001	700-1	Poly Suede Approx Weight: 240 grams/meter ² (7.2 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1411002	700-12	Poly Lycra (93% / 7%) Approx Weight: 143 grams/meter ² (4.3 ounces/yard ²) Approx Width: 63 inches (160 cm), Linear Meter
1411003	700-13	Poly Georgette Approx Weight: 57 grams/meter ² (1.7 ounces/yard ²) Approx Width: 59 inches (150 cm), Linear Meter
1411004	700-1558	Poly Pongee without Optical Approx Weight: 73 grams/meter ² (2.2 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1411005	700-16	Polyester "Silk" Approx Weight: 73 grams/meter ² (2.2 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1411006	700-2	Ultra Sheer Approx Weight: 27 grams/meter ² (0.8 ounces/yard ²) Approx Width: 60 inches, Linear Meter
1411007	700-5	Poly Poplin Approx Weight: 127 grams/meter ² (3.8 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1411008	700-6	Firesafe Approx Weight: 127 grams/meter ² (3.8 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter

1411009	700-7	Hercules Approx Weight: 207 grams/meter ² (6.2 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1411010	700-8	Poly Duck Approx Weight: 200 grams/meter ² (6 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
<u>Polypropylene Fabrics</u>		
1412001	983	Spun Polypropylene Approx Weight: 170 grams/meter ² (5.01 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
<u>Silk Fabrics</u>		
1413001	601	Silk Crepe deChine 16mm Approx Weight: 72 grams/meter ² (2.12 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1413002	602	Silk Pongee Approx Weight: 45 grams/meter ² (1.32 ounces/yard ²) Approx Width: 41 inches (104 cm), Linear Meter
1413003	603	Silk Shangtung Approx Weight: 48 grams/meter ² (1.41 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1413004	606	Silk Georgette 6mm Approx Weight: 36 grams/meter ² (1.06 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1413005	607	Silk Broadcloth Approx Weight: 105 grams/meter ² (3.09 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1413006	608	Silk Charmeuse 20mm Approx Weight: 90 grams/meter ² (2.65 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1413007	609	Silk Habutae 8mm Approx Weight: 36 grams/meter ² (1.06 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1413008	611	Silk Twill Approx Weight: 46 grams/meter ² (1.35 ounces/yard ²) Approx Width: 55 inches (139 cm), Linear Meter
1413009	615	Silk Fabric Note: Style 615 is no longer an ISO Adjacent Silk, for ISO Adjacent Silk please refer to available item ISO ADJ SILK Approx Weight: 135 grams/meter ² (3.98 ounces/yard ²) Approx Width: 36 inches (91 cm), Linear Meter
1413010	617	Silk Chiffon Approx Weight: 20 grams/meter ² (0.58 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1413011	618	Silk Organza Approx Weight: 25 grams/meter ² (0.73 ounces/yard ²) Approx Width: 42 inches (107 cm), Linear Meter
1413012	620	Silk Taffeta Approx Weight: 80 grams/meter ² (2.35 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1413013	651	Natural Silk Noil Approx Weight: 135 grams/meter ² (3.98 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1413014	652	Bleached Silk Noil Approx Weight: 163 grams/meter ² (4.8 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
<u>Spun Polyester Fabrics</u>		
1414001	755	Spun Polyester Type 54 (Coarser than 777) (Disperse Dyeable) Approx Weight: 171 grams/meter ² (5.04 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1414002	755H	Spun Polyester Type 54, Heat Set (Coarser than 777)(Disperse Dyeable) Approx Weight: 175 grams/meter ² (5.16 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1414003	761	Spun Polyester Type 54 with Rewetting Agent Added for Thermosol Process Approx Weight: 128 grams/meter ² (3.77 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter

1414004	763H	Spun Polyester Type 64, Heat Set (Cationic Dyeable) Approx Weight: 160 grams/meter ² (4.71 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1414005	777	Spun Polyester Type 54 (Disperse Dyeable) Note: Style 777 is no longer an ISO Adjacent Polyester, for ISO Adjacent Polyester please refer to available item ISO ADJ POLYESTER Approx Weight: 126 grams/meter ² (3.71 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1414006	777H	Spun Polyester Type 54, Heat Set (Disperse Dyeable) Approx Weight: 122 grams/meter ² (3.59 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
<u>Union, Checked, Blended and Other Fabrics</u>		
1415001	1253B	Spun Acetate/Spun Viscose 3/16" Check Approx Weight: 217 grams/meter ² (6.4 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415002	2601	Silk/Rayon (Blend) Velvet Approx Weight: 189 grams/meter ² (5.57 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415003	339	Nylon/Lycra 87% / 13% Knit Bathing Suit Fabric Approx Weight: 185 grams/meter ² (5.45 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1415004	4200	Cotton/Viscose, 1/2" Check Approx Weight: 184 grams/meter ² (5.42 ounces/yard ²) Approx Width: 44 inches (112 cm), Linear Meter
1415005	4301	Cotton/Lycra (92% / 8%) Leotard Fabric Approx Weight: 202 grams/meter ² (5.95 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1415006	7208	Spun Polyester Type 54 and Spun Viscose 1/2" Check Approx Weight: 160 grams/meter ² (4.71 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415007	7409OPT	Polyester/Cotton, 65/35 Bleached Broadcloth (With Optical Brightener) Approx Weight: 104 grams/meter ² (3.06 ounces/yard ²) Approx Width: 52 inches (132 cm), Linear Meter
1415008	7409WOB	Polyester/Cotton, 65/35 Bleached Broadcloth (Without Optical Brightener) Approx Weight: 104 grams/meter ² (3.06 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415009	7418	Spun Polyester Type 54/Bleached Cotton 1/2" Check Approx Weight: 162 grams/meter ² (4.77 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415010	7422	Polyester/Cotton 50/50 Jersey Knit, Tubular Approx Weight: 172 grams/meter ² (5 ounces/yard ²) Approx Width: 31 inches (79 cm), Linear Meter
1415011	7435	Polyester/Cotton, 65/35 Shirting Bleached (With Optical Brightner) Approx Weight: 82 grams/meter ² (2.41 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1415012	7435WRL	Polyester/Cotton, 65/35 Bleached with Durable Press Finish or Batiste (With optical brightener) Approx Weight: 92 grams/meter ² (2.71 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415013	7436M	Polyester/Cotton, 65/35 Poplin (Raincoat Weight) Mercerized and Bleached (With optical brightener) Approx Weight: 154 grams/meter ² (4.54 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1415014	7436MWRL	Polyester/Cotton 65/35 Mercerized, Bleached Poplin with Durable Press Finish (With optical brightener) Approx Weight: 155 grams/meter ² (4.57 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1415015	7439OB	50/50 Poly/Cotton Interlock Tubular, Bleached (With Optical Brightener) Approx Weight: 190 grams/meter ² (5.6 ounces/yard ²) Approx Width: 30 inches (76 cm), Linear Meter
1415016	7465	50/50 Polyester/Cotton Approx Weight: 104 grams/meter ² (3.06 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1415017	7506	Spun Polyester Type 54 / Worsted Wool 1/2" Check Approx Weight: 181 grams/meter ² (5.33 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter

1415018	765	Spun Polyester Type 54 and Spun Polyester Type 64 (1/2" Check) Approx Weight: 165 grams/meter ² (4.86 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415019	8505	Acrylic Type 75 / Worsted Wool 1/2" Check Approx Weight: 168 grams/meter ² (4.95 ounces/yard ²) Approx Width: 45 inches (114 cm), Linear Meter
1415020	900-ET 8500	PTFE Teflon Mesh Approx Width: 18 inches (45 cm), Linear Foot
<u>Viscose (Regenerated Cellulose) Fabrics</u>		
1416001	266	Spun Viscose Challis Note: Style 266 is no longer an ISO Adjacent Viscose, for ISO Adjacent Viscose please refer to available item ISO ADJ VISCOSE Approx Weight: 138 grams/meter ² (4.07 ounces/yard ²) Approx Width: 57 inches (145 cm), Linear Meter
1416002	266WB	Black Spun Viscose Challis, Dischargeable Approx Weight: 138 grams/meter ² (3.8 ounces/yard ²) Approx Width: 57 inches (145 cm), Linear Meter
<u>Worsted and Wool Fabrics</u>		
1417001	526	Worsted Flannel Natural Scoured Approx Weight: 241 grams/meter ² (7.1 ounces/yard ²) Approx Width: 60 inches (152 cm), Linear Meter
1417002	527	100% Wool Flannel (carbonized) Approx Weight: 268 grams/meter ² (8 ounces/yard ²) Approx Width: 56 inches (142 cm), Linear Meter
1417003	532	Wool Jersey Knit Fabric Approx Weight: 177 grams/meter ² (5 ounces/yard ²) Approx Width: 66 inches (168 cm), Linear Meter
1417004	537	Wool Fabric Note: Style 537 is no longer an ISO Adjacent Wool, for ISO Adjacent Wool please refer to available item ISO ADJ WOOL Approx Weight: 125 grams/meter ² (3.68 ounces/yard ²) Approx Width: 54 inches (137 cm), Linear Meter
1417005	541	Worsted Gabardine Natural Scoured Approx Weight: 187 grams/meter ² (5.51 ounces/yard ²) Approx Width: 62 inches (157 cm), Linear Meter
1417006	542	Worsted Wool Challis Approx Weight: 109 grams/meter ² (3.21 ounces/yard ²) Approx Width: 55 inches (139 cm)
1417007	F-500	Wool Felt Approx Width: 37 inches (94 cm), Linear Meter
<u>DYE SKEINS</u>		
Item Number	Item Name	Item Description
<u>Acrylic Yarn PFD Dye Skeins</u>		
1201001	SK SC 61 5 GE	5 Gram Spun Creslan, 100 Skeins
1201002	SK SO 75 10GE	10 Gram Spun Dralon, Semi Dull, 100 Skeins
1201003	SK SO 75 5GE	5 Gram Spun Dralon, Semi Dull, 100 Skeins
<u>Carpet Yarn PFD Dye Skeins</u>		
1202001	CY CAT 10GR	Carpet Yarn Cationic Dyeable 10 grams Skeins, 100 Skeins
1202002	CY CAT 5GR	Carpet Yarn Cationic Dyeable 5 grams Skeins, 100 Skeins
1202003	CY DEEP 10GR	Carpet Yarn Deep Acid Dyeable 10 grams Skeins, 100 Skeins
1202004	CY DEEP 5GR	Carpet Yarn Deep Acid Dyeable 5 grams Skeins, 100 Skeins
1202005	CY LIGHT 10GR	Carpet Yarn Light Acid Dyeable 5 grams Skeins, 100 Skeins
1202006	CY LIGHT 5GR	Carpet Yarn Light Acid Dyeable 5 grams Skeins, 100 Skeins
1202007	CY REG 10GR	Carpet Yarn Regular Acid Dyeable 10 grams Skeins, 100 Skeins
1202008	CY REG 5GR	Carpet Yarn Regular Acid Dyeable 5 grams Skeins, 100 Skeins
<u>Cotton Yarn PFD Dye Skeins</u>		
1203001	SK 20/2 BC 10 GE	20/2 Bleached Cotton 10 grams Skeins, 100 Skeins
1203002	SK 20/2 BC 5 GE	20/2 Bleached Cotton 5 grams Skeins, 100 Skeins
1203003	SK 40/2 BOC 10 GE	40/2 Scoured, Boiled off Cotton 10 grams Skeins, 100 Skeins
1203004	SK 40/2 BOC 5 GE	40/2 Scoured, Boiled off Cotton 5 grams Skeins, 100 Skeins
1203005	SK 40/2 MC 10 GE	10 Gram 40/2 Mercerized Cotton, 100 Skeins
1203006	SK 40/2 MC 5 GE	5 Gram 40/2 Mercerized Cotton, 100 Skeins

1203007	SK DRAVE E	5 Gram 40/2 Greige Cotton for Draves Test, 100 Skeins
<u>Nylon Yarn PFD Dye Skeins</u>		
1204001	SK SN 66 10 GE	10 Gram Spun Nylon 6.6, 100 Skeins
1204002	SK SN 66 5 GE	5 Gram Spun Nylon 6.6, 100 Skeins
<u>Polyester Yarn PFD Dye Skeins</u>		
1205001	SK SD 54 10 GE	10 Gram Spun Polyester Type 54 Disperse Dyeable, 100 Skeins
1205002	SK SD 54 5GE	5 Gram Spun Polyester Type 54 Disperse Dyeable, 100 Skeins
1205003	SK SD 64 10 GE	10 Gram Spun Polyester Type 64 Basic Dyeable, 100 Skeins
1205004	SK SD 64 5GE	5 Gram Spun Polyester Type 64 Basic Dyeable, 100 Skeins
<u>Silk Yarn PFD Dye Skeins</u>		
1206001	SK SS 5 GE	5 Gram Spun Silk, 100 Skeins
<u>Viscose (Regenerated Cellulose) Yarn PFD Dye Skeins</u>		
1207001	SK SV 10GE	10 Gram Spun Viscose, Bright, 100 Skeins
1207002	SK SV 5 GE	5 Gram Spun Viscose, Bright, 100 Skeins
<u>Wool Yarn PFD Dye Skeins</u>		
1208001	SK 2/30 WW 10 GE	2/30 Worsted, Scoured Wool 10 grams Skeins, 100 Skeins
1208002	SK 2/30 WW 5 GE	2/30 Worsted, Scoured Wool 5 grams Skeins, 100 Skeins